

# Convertible "Ocean" Stationary Crib (Full-Size) Instruction Sheet

Read All Instructions Before Assembling Crib. Keep Instructions For Future Use.

## PARTS LIST


- (1) Back Frame
- (2) Back Post
- (2) Front Post
- (2) Side Frames
- (1) Front Frame
- (1) Youth Rail
- (2) Youth Post Caps
- (1) Mattress Support (Spring)

## HARDWARE


- (8) 80mm Bolts
- (10) 60mm Bolts
- (2) 40 mm Bolts
- (2) Wooden Dowels
- (1) Allen Wrench

## ITEMS INCLUDED WITH ADULT CONVERSION KIT (sold separately)


- (2) Adult Rails
- (8) Cam Locks
- (8) Cam Studs
- (1) Universal Bracket Kit (optional)




Back Frame




Front Frame



Back Posts




Front Posts



40mm Bolt

80mm Bolt

60mm Bolt




Allen Wrench




Cam Stud




Youth Post Cap



Side Frame




Cam Lock



(Spring) Mattress Support



Youth Rail



Universal Bracket Kit



Adult Rail




Wooden Dowel

DO NOT substitute parts. Contact 1-800-TEL-CRIB for replacement parts and instructional literature if needed.

# CRIB ASSEMBLY INSTRUCTIONS

**Step 1:** To assemble the Back Frame to the Back Post you will need four 80mm Bolts and the Allen Wrench. Make sure that the bolts are not completely tightened until the Cap Rail of the Back Frame is against the top of the Back Post. Tighten bolts at this time using your Allen Wrench to complete the Back Assembly.

**Step 2:** Use four 60mm Bolts to attach the two Side Frames to the Back Assembly. You will use four 60mm Bolts to attach the Front Posts. \*See photo on the right.




Step 2

**Step 3:** To assemble the Front Frame to the Front Post you will need four 80mm Bolts and the Allen Wrench. Make sure that the bolts are not completely tightened until the Cap Rail on the Front Frame is against the top of the Front Posts.



**Step 4:** Decide which position you desire to mount the Mattress Support (spring). You must swing the support arms out and slide them into the cut out areas between the Side Frames and the Posts. Next insert the 60mm Bolts into the holes of the Side Frame, through the support arms and into the inserts in the Posts. Tighten all Bolts. \* Note in the photo how the Mattress Support hangs below the spring arms.



Once a crib has been converted to a toddler/youth bed or adult bed it is not intended to be converted back to a crib. In that instance, it will not be covered by the manufacturer's warranty.

## YOUTH BED CONVERSION

Make sure the Mattress Support (Spring) is in the lowest position for this conversion.


- Step 1:** Remove the Front Frame from the Front Posts of the crib by using the Allen Wrench to unscrew the four 80mm Bolts. Make sure you leave the Front Posts attached to the Side Frames. Next make sure that the Mattress Support (spring) is in the lowest position. \*See photo at right showing Mattress Support in the lowest position.
- Step 2:** Tap the two Wooden Dowels half way into the pre-drilled holes on both ends of the Youth Rail. Position the Youth Rail between the two Front Posts at the bottom.
- Step 3:** Insert the two 80mm Bolts through the holes on the Post and into the threaded inserts of the Youth Rail. Tighten all Bolts using the Allen Wrench.
- Step 4:** Use Allen Wrench and two 40mm Bolts to attach the two Youth Post Caps to the top of the Front Posts.



## ADULT BED CONVERSION

Conversion from crib using Adult Conversion Kit by Baby's Dream (sold separately).

- Step 1:** Remove the Mattress Support (Spring)
- Step 2:** Remove the Side Frame. You now have the Front Assembly with the posts attached and the Back Assembly with the posts attached.
- Step 3:** To eliminate the visible hardware holes on the crib posts, turn the Back Posts around on the Back Assembly. Take out the four 80mm Bolts on the side of the Back Posts with the Allen Wrench. Once the Posts are off, you will then switch the left post for the right post. The face side of the Back Post will only have two inserted holes facing out.
- Step 4:** Insert the 80mm Bolts thru the Posts and tighten with the Allen Wrench. Make sure that the tops of the posts are flush against the top back rail of the Back Frame. This is your headboard.
- Step 5:** Now the Adult Rails will be attached to the headboard and footboard with eight Cam Locks and eight Cam Studs (included in the Conversion Kit). Make sure that the cleats on the Adult Rails are at the top. Screw two Cam Studs into the bottom inserts of each Post. Slide the Rails up on the Cam Studs until the Rail is all the way against the Post. Use Allen Wrench to tighten the Cam Locks. Insert the Cam Locks in the holes on the inside of the Adult Rail with the slotted side facing up. Note that the Cam Locks have an arrow on the face side of them. Have this point toward the hole where the Cam Stud is slide up onto.
- Step 6:** Repeat at all four corners of the bed.



The Adult Bed **IS NOT** intended to be used by children under 6 years of age without proper adult supervision. This Adult Bed is **NOT** a toy. **DO NOT** allow children to play or climb on Adult Bed.

**FOR FUTURE USE AND REFERENCE**  
**RETAIN THIS INSTRUCTION SHEET AND THE CRIB TOOLS IN THE ORIGINAL SACK**  
**AND SECURE IT TO THE SPRING UNDER THE MATTRESS WITH PLASTIC TIES.**

**CARE INSTRUCTIONS:** The natural warmth of wood is a lasting value. Character marks, checking and grain variations are part of the beauty of wood and, therefore, should not be a concern. To preserve your furniture, we suggest the following:

- Do not expose furniture to direct sunlight or extreme changes in temperature or moisture.
- Do not place the furniture near heating or air conditioning vents.
- Lift objects rather than dragging them across the top surface when moving them.
- Avoid contact with rubber feet materials (such as computer, desk lamp, radio) on your furniture. Certain plastics may damage the finish.
- Use a protective pad when using your furniture as a writing surface.
- Wipe up spills promptly.
- When cleaning your furniture, use non-toxic, non-abrasive furniture cleaner with soft, lint-free cloth. Dry thoroughly and then apply furniture polish. Always wipe the furniture in the direction of the wood grain.

We recommend the furniture to be polished every six months. Over polishing can distort the natural finish of the product.

**⚠ WARNING!**

Infants can suffocate on **SOFT BEDDING!** Never add a pillow, comforters or padding!

- ✓ To reduce the risk of sids, pediatricians recommend healthy infants be placed on their backs to sleep, unless otherwise advised by your physician.
- ✓ To help prevent strangulation tighten all fasteners. A child can trap parts of the body or clothing on loose fasteners.

**⚠ WARNING!**

To insure your child's safety and for your own peace of mind, be sure to follow instructions properly. Failure to follow these warnings and assembly instructions could result in serious injury or death. Before each usage or assembly, inspect the crib for damaged hardware, loose joints, missing

parts or sharp edges.

- ✓ DO NOT use the crib if any parts are missing or broken.
- ✓ DO NOT substitute parts. Visit Parts Request at [www.babysdream.com](http://www.babysdream.com) for replacement parts and instructional literature if needed.
- ✓ Make sure that all bolts and screws are properly tightened. DO NOT over- or under-tighten.
- ✓ AVOID STRANGULATION: As soon as an infant can sit or stand up, close the crib gate or raise the Drop Side permanently.
- ✓ DO NOT place the crib near a window where cords from blinds or drapes may strangle a child.
- ✓ DO NOT tie pacifiers, necklaces or any other items around a child's neck or on the crib parts.

**⚠ WARNING!**

Strings can cause strangulation! Do not place items with string around a child's neck, such as hood strings or pacifier cords. Do not suspend strings over a crib or attach string toys.

- ✓ NEVER use plastic shopping bags or other film as mattress covers, because they can cause suffocation.
- ✓ DO NOT leave a child in a crib with an open gate or lowered Drop Side. Be sure the gate is closed or the Drop Side is raised and locked in position whenever the child is in the crib. After closing the gate or raising the Drop Side, make sure the latches are secure.
- ✓ The child must be seated at the rear of the crib when lowering or raising the gate or Drop Side.
- ✓ For a newborn, adjust the spring on the highest level of the Height Adjuster and open the gate or lower the Drop Side for easy access.
- ✓ As your child grows, adjust the height of the spring down so that he/she cannot pull himself/herself out of the crib. When the child is able to pull to a standing position, set the mattress to the lowest position and remove bumper pads, large toys and other objects that could serve as steps for climbing out. When the child is able to climb out or reaches the height of 35" (90cm), the bed should no longer be used in the form of a crib.
- ✓ The time that you convert will depend on each child's individual comfort level, maturity, and size. In most instances, with proper adult supervision: Crib 0-2 years of age or when child is 35" or more in height, Youth Bed 2-5 years of age, Adult Bed 6 years and older.

**ANY MATTRESS USED IN THIS CRIB MUST BE AT LEAST 27 1/4" X 51 5/8" WITH A THICKNESS NOT EXCEEDING 6". DO NOT USE A WATER MATTRESS WITH THIS CRIB.**

This product may be covered by one or more of the following patents:  
**D366,778; D366,970,5,077,846**  
 and other patents pending.



This crib conforms to the applicable regulations promulgated by the Consumer Product Safety Commission, as well as safety certifications by JPMA.



**BABY'S DREAM™**  
**FURNITURE, INC.**

Buena Vista, GA 31803-0579  
[www.babysdream.com](http://www.babysdream.com)

