

# "Sea Island™" Stationary Crib Instruction Sheet

Read All Instructions Before Assembling Crib. Keep Instructions For Future Use.

**A PHILLIPS HEAD SCREWDRIVER IS REQUIRED**

**PARTS LIST**

- (1) Back Frame
- (1) Front Frame
- (2) End Frames
- (2) Front Posts
- (2) Back Posts
- (2) Youth Post Caps
- (1) Youth Rail
- (1) Guard Rail
- (2) Adult Rails (sold seperately)

**HARDWARE**


- (8) 90mm Bolts
- (8) 60mm Bolts
- (1) Spring (Mattress Support)
- (4) Spring Bolts
- (4) Plastic Dowels (Quick connect)
- (1) Allen Wrench
- (1) Hex Wrench

**ADULT BED HARDWARE**


- (Not included with Crib)
- (8) Cross Dowels

**YOUTH AND GUARD RAIL HARDWARE**


- (6) Tension Pins



Back Frame



End Frame




Front Frame



Youth Post Cap



Front Posts



Back Posts



Youth Rail




Adult Rail




Guard Rail



90mm Bolt



60mm Bolt



Plastic Dowel




Small Spring Bolts




Cross Dowel




Tension Pin



Allen Wrench





Hex Wrench



Mattress Support



# CRIB ASSEMBLY INSTRUCTIONS

**Step 1:** To assemble the Back Frame to the Back Posts you will need (4) 90mm Bolts and the Allen Wrench. Before tightening bolts make sure that the posts are turned so the inserts (for height adjustment) are facing forward. Tighten the bolts using the provided Allen Wrench.



**Step 2:** To assemble the Front Frame to the Front Posts you will need (4) 90mm Bolts and the Allen Wrench. Before tightening bolts make sure that the posts are turned so the inserts (for height adjustment) are facing to the inside of the crib. Tighten the bolts.

**Step 3:** To attach the End Frames to the Front Frame you will need (4) 60mm Bolts and the Allen Wrench. Make sure that the correct edge of the end Rail is at the top and facing to the front of the crib. The correct edge is shaped to match the front cap. Tighten bolts.




**Step 4:** To attach the End Frames to the back assembly you will need (4) 60mm Bolts. Tighten bolts.


**Step 5:** To attach the Spring to the crib you will need (4) Spring Bolts and the Hex Wrench. Select the desired height position, unfold the spring arm and insert the bolts through the arm holes and into the inserts. Tighten using the Hex Wrench.

## YOUTH BED (From Crib)

**Step 1:** Remove the Front Frame.




**Step 2:** Insert the Tension Pins into the small holes in the ends of the Youth Rail and Guard Rail. You may need to tap them in with a hammer. **(Tap in halfway only).**



**Step 3:** Slide the Tension Pins of the Guard and Youth Rails into the holes in the posts and insert and tighten (2) 90mm Bolts into the inserts.

**Step 4:** To attach the Youth Bed post caps, you will need the following items from your hardware bag: (4) Plastic quick connect Dowels and the (2) Youth Post Caps. Push the Dowels into the caps and tap the caps into the holes in the top of the posts.

Youth Post Cap



**Step 5:** Lower Spring (Mattress Support) to the lowest position for mounting, mount spring using (4) Spring Bolts and the Hex Wrench.

## YOUTH BED (From Scratch)

**Step 1:** Follow step 1 of the Crib Assembly instructions.

**Step 2:** To assemble the End Frames to the Back Posts you will need (4) 60mm Bolts and your Allen Wrench. Look at the End Frames and you will see a decorative cut out area in one corner of both End Frames. This area must be mounted at the top front side of the crib. Attach using the bolts and Allen Wrench.

**Step 3:** To attach the Front Posts to the End Frames you will need (4) 60mm Bolts and the Allen Wrench.

**Step 4:** Follow steps 2,3,4 and 5 of the Youth Bed Assembly instructions from Crib.


## ADULT BED (Using Wooden Adult Rails)

**Step 1:** The crib Headboard with posts attached, is the Adult Headboard.

**Step 2:** The crib Footboard with posts attached is the Adult Footboard.

**Step 3:** To attach the Adult Rails to the Headboard and Footboard assemblies, you will need the (8) Cross Dowels from the Adult Bed hardware bag, (8) 60mm Bolts and the Allen Wrench from the crib hardware bag.

**Step 4:** Insert the Cross Dowels into the holes in the side of the Adult Bed Rails (with the slotted side facing outward). the slotted end of the Cross Dowel is where you can turn the Cross Dowel (with a flathead screwdriver) to line it up during assembly. Insert the bolts through the posts and into the Cross Dowels, tighten using the Allen Wrench.



## FOR FUTURE USE AND REFERENCE

RETAIN THIS INSTRUCTION SHEET AND THE CRIB TOOLS IN THE ORIGINAL SACK AND SECURE IT TO THE SPRING UNDER THE MATTRESS WITH PLASTIC TIES.

**CARE INSTRUCTIONS:** The natural warmth of wood is a lasting value. Character marks, checking and grain variations are part of the beauty of wood and, therefore, should not be a concern. If treated with care, this solid wood product will last you for many years to come. Once every week, wipe your Baby's Dream furniture with Pledge®, lemon oil or other similar wood treatment products. If you encounter any roughness in the finish of your new crib, fold a piece of regular white paper—not tissue or newspaper—and rub it gently against the surface until the desired smoothness is achieved. If refinishing, use a non-toxic finish specified for children's products. Let dry, sand with a very fine product such as folded paper or dish washing sponge and, finally, apply water-based baby-safe lacquer for the perfect matching shine.

### **WARNING!**

To insure your child's safety and for your own peace of mind, be sure to follow instructions properly. Failure to follow these warnings and assembly instructions could result in serious injury or death. Before each usage or assembly, inspect the crib for damaged hardware, loose joints, missing parts or sharp edges.

- ✓ **DO NOT** use the crib if any parts are missing or broken.
- ✓ **DO NOT** substitute parts. Ask your dealer or write to Baby's Dream Furniture for replacement parts and instructional literature if needed.
- ✓ Make sure that all bolts and screws are properly tightened. **DO NOT** over- or under-tighten.
- ✓ **AVOID STRANGULATION:** As soon as an infant can sit or stand up, close the crib gate or raise the Drop Front permanently.
- ✓ **DO NOT** place the crib near a window where cords from blinds or drapes may strangle a child.
- ✓ **DO NOT** tie pacifiers, necklaces or any other items around a child's neck or on the crib parts.


### **WARNING!**

Strings can cause strangulation! Do not place items with string around a child's neck, such as hood strings or pacifier cords. Do not suspend strings over a crib or attach string toys.

- ✓ **NEVER** use plastic shopping bags or other film as mattress covers, because they can cause suffocation.
- ✓ For a newborn, adjust the spring on the highest level of the Height Adjuster and open the gate or lower the Drop Front for easy access.
- ✓ **DO NOT** leave a child in a crib with an open gate or lowered Drop Front. Be sure the gate is closed or the Drop Front is raised and locked in position whenever the child is in the crib. After closing the gate or raising the Drop Front, make sure the latches are secure.
- ✓ The child must be seated at the rear of the crib when lowering or raising the gate or Drop Front.
- ✓ As your child grows, adjust the height of the spring down so that he/she cannot pull himself/herself out of the crib. When the child is able to pull to a standing position, set the mattress to the lowest position and remove bumper pads, large toys and other objects that could serve as steps for climbing out. When the child is able to climb out or reaches the height of 35" (90cm), the bed should no longer be used in the form of a crib. You can continue to use this crib as a youth or toddler bed for another 2 to 3 years by using the **Youth Bed Conversion Kit**.

**ANY MATTRESS USED IN THIS CRIB MUST BE AT LEAST 27<sup>1</sup>/<sub>4</sub>" X 51<sup>5</sup>/<sub>8</sub>" WITH A THICKNESS NOT EXCEEDING 6". DO NOT USE A WATER MATTRESS WITH THIS CRIB.**

This crib conforms to the applicable regulations promulgated by the Consumer Product Safety Commission.



This product may be covered by one or more of the following patents: D366,778; D366,970,5,077,846 and other patents pending.



**BABY'S DREAM**  
FURNITURE, INC.

Buena Vista, GA 31803-0579

[www.babysdream.com](http://www.babysdream.com)

